PREDESIGN INVESTIGATION

At The

QUANTA RESOURCES SITE Edgewater, New Jersey

Prepared For:

ALLIEDSIGNAL INC.

SOLVAY, NEW YORK

Prepared By:

PARSONS ENGINEERING SCIENCE, INC.

290 Elwood Davis Road, Suite 312 Liverpool, New York 13088 Phone: (315) 451-9560

Fax: (315) 451-9570

May 1997





INTRODUCTION

A focused predesign investigation was conducted between March 11 and 13, 1997, at the Quanta Resources Site in Edgewater, New Jersey to fill data gaps. Work was conducted under the approved Work Plan for the Remedial Design Services dated November 1996 (Parsons ES, 1996). A CERCLA Removal Action has been proposed to address specific contamination problems at the site. The predesign investigation included analytical sampling of soils for polychlorinated biphenyls (PCBs), total petroleum hydrocarbons (TPH), and toxicity contaminant leaching procedure (TCLP) at five locations in the vicinity of a former sample "hot spot"; sampling of insulation material on two boilers in the remaining onsite building for asbestos analysis, a magnetometer survey to identify two underground storage tanks (USTs), and a site property and topographic survey. Site background information has been presented in the Work Plan (Parsons ES, 1996) and in the Preliminary Remedial Design Report (April 1997) so it will not be repeated.

PCB SAMPLE RESULTS

Five surface soil samples were collected in the vicinity of a PCB "hot spot" previously identified in sample QE-002 near River Road (USEPA, 1994) to delineate the extent of PCBs in surface soils. Sample QE-002 contained 62 mg/kg of PCB Aroclor 1242 (USEPA, 1994). Sample results are plotted on Figure 1 and are summarized on Table 1.

PCBs were detected at low concentrations in all five surface soils samples. PCB concentrations ranged from 0.38 mg/kg (ppm) in sample SS1 to 3.65 mg/kg in sample SS4. Aroclor 1242 comprised the majority of the PCBs detected. Lesser amounts of Aroclor 1260 were detected in four of the five samples at concentrations ranging from 0.2 to 0.55 mg/kg and Aroclor 1254 in one sample at a concentration of 0.38 mg/kg. All PCB concentrations were below the USEPA Interim Surface Cleanup Standards of 2,000 ppm used at the Carvel site (New Jersey), below the USEPA general cleanup level of 10 to 25 ppm and below the TSCA limit of 50 ppm (USEPA, 1990a).

TPH SAMPLE RESULTS

The five soil samples analyzed for PCBs were also analyzed for TPH. TPH was detected in the diesel fuel range in all five samples. Concentrations ranged from 160 mg/kg in SS1 to 8,600 mg/kg in SS5. TPH was detected in the gasoline range in SS5 at a concentration of 4.4 mg/kg. The detected concentrations of TPH were below the EPA Interim Surface Cleanup Standard of 30,000 ppm used at the Carvel site (New Jersey).

TCLP SAMPLE RESULTS

The five surface soil samples were also analyzed for TCLP volatiles and metals. No volatile compounds were detected. The only metal detected was lead at concentrations ranging from 0.103 mg/L in SS2 to 0.594 mg/L in SS5. All lead concentrations were below the regulatory limit of 5 mg/L (USEPA, 1990b).

ASBESTOS SAMPLE RESULTS

Four samples were collected from insulation material on the exterior of two boilers present in the remaining onsite building. Three of the four samples contained asbestos. Sample 1 and Sample 2 collected from the Superior 1950 boiler located at the southern end of the room contained 15 and 25 percent asbestos, respectively. Sample 3 collected from the gasket material on the Cyclo-Therm 1959 boiler located at the northern end of the room contained 60 percent asbestos. Sample 4 collected from insulation material on the southern side of the Cyclo-Therm 1959 boiler did not contain asbestos.

GEOPHYSICAL SURVEY

A magnetometer survey was attempted in the area of two suspected underground storage tanks (USTs). The presence of reinforced concrete caused apparent interference in the magnetometer readings. The survey did not provide useable data.

PROPERTY AND TOPOGRAPHIC SURVEY

A site property and topographic survey was conducted to provide a site-wide property boundary and topographic map. Detailed site features and topographic contours at one foot intervals are present in this map which will be used for future site remedial designs and construction. A copy of this map has been provided to AlliedSignal recently.

RECOMMENDATIONS

The following recommendations are based on analytical results from the March 1997 surface soil and insulation material sampling, results of the geophysical survey, and referenced Standards:

- Detected PCB concentrations are below TSCA, USEPA general cleanup levels, and USEPA Interim Surface Cleanup Standards used at the Carvel site (New Jersey). No action is necessary based on detected PCB concentrations.
- Detected TPH concentrations are below USEPA Interim Surface Cleanup Standards used at the Carvel site (New Jersey). No action is necessary based on detected TPH concentrations.
- Samples analyzed by TCLP methods were all below regulatory limits. No action is necessary based on TCLP results.

- Asbestos was present on both boilers present in the remaining site building. It is recommended asbestos material be removed from the boilers.
- Conduct test pit excavation in lieu of further geophysical surveys to locate USTs in their suspected area.

REFERENCES

Parsons ES, 1996. Project Plans for the Remedial Design Services at the Quanta Resources Site, Edgewater, New Jersey, November 1996.

Parsons ES, 1997. Preliminary Remedial Design Report, NAPL Recovery System, Quanta Resources Site, Edgewater New Jersey, April 1997.

USEPA, 1994. Removal Site Evaluation for the Quanta Resources Corporation Site, Edgewater, New Jersey, USEPA Region II, June 1, 1994.

USEPA, 1990a. Guidance on Remedial Actions for Superfund Sites with PCB Contamination. Office of Emergency and Remedial Response, OSWER Directive 9355.4-01.

USEPA, 199b. Hazardous Waste Management System, Identification and Listing of Hazardous Waste, Toxicity Characteristics Revisions. Federal Register 55 (61):11798-11877, March 29, 1990.




Table 1 Detected Compounds AlliedSignal, Inc. Edgewater, New Jersey Site

				Sample ID			
	Units	SS1	SS2	SS3	SS4	SS5	SS6 (D)
PCB Aroclors							
1242	mg/kg	ND	1.3	3	3.2	1.8	1.7
1254	mg/kg	0.38	ND	ND	ND	ND	ND
1260	mg/kg	ND	0.2	0.26	0.45	0.55	0.22
Total PCBs	mg/kg	0.38	1.5	3.26	3.65	2.35	1.92
TPH as			ļ				
#2 Fuel Oil	mg/kg	160	2500	3900	5800	8600	2800
TPH as	!						
Gasoline	mg/kg	ND	ND	ND	ND	4.4	ND
TCLP Lead	mg/L	0.207	0.103	0.107	0.193	0.594	NA

(D) - Duplicate of SS2

ND - Not Detected

NA - Not Applicable

Asbestos Results

Asbestos		Sample ID					
Minerals	Units	Sample 1	Sample 2	Sample 3	Sample 4		
Amosite	Percent	5	15	ND	ND		
Chrysotile	Percent	10	10	60	ND:		

ATTACHMENT A ANALYTICAL DATA

000053 CLIENT ID

SS01

Lab Name: <u>IEA-NJ</u>	Client: Allied Signal Inc.
Matrix: (soil/water):SOIL	Lab Sample ID: 71102001
Sample wt/vol: 30 (q/ml) q	Lab File ID: <u>D2B44BO 019</u>

% Moisture: 15 decanted: N Date Received: 03/11/97

Extraction: (SepF/Cont/Sonc) SONC Date Extracted: 03/14/97

Concentrated Extract Volume: 10000 (uL) Date Analyzed: 03/19/97

Injection Volume: 5.0 (uL) Dilution Factor: 1.00

GPC Cleanup: (Y/N)N pH:___ Sulfur Cleanup: Y

CAS NO. COMPOUND CONCENTRATION UNITS: Q (ug/L or ug/Kg) <u>UG/KG</u>

12674-11-2	Aroclor-1016	39	Ū
11104-28-2	Aroclor-1221	39	U
11141-16-5	Aroclor-1232	39	ָּט
53469-21-9	Aroclor-1242	39	Ū
12672-29-6	Aroclor-1248	39	U
11097-69-1	Aroclor-1254	380	
11096-82-5	Aroclor-1260	39	Ü

CLIENT	ID
\$\$02	

Lab Name: <u>IEA-NJ</u>

Matrix: (soil/water):SOIL

Sample wt/vol: 30 (g/ml) g

% Moisture: 15 decanted: N

Extraction: (SepF/Cont/Sonc) SONC

Concentrated Extract Volume: 10000 (uL)

Injection Volume: 5.0 (uL)

GPC Cleanup: (Y/N)NpH:___ Client: Allied Signal Inc.

Lab Sample ID: 71102003

Lab File ID: D2B44BO 030

Date Received: 03/11/97

Date Extracted: 03/14/97

Date Analyzed: 03/19/97

Dilution Factor: 5.00

Sulfur Cleanup: Y

CAS NO.

COMPOUND

CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/KG</u>

200 12674-11-2 | Aroclor-1016 200 IJ 11104-28-2 Aroclor-1221 <u> 200</u> Aroclor-1232 11141-16-5 1300 53469-21-9 Aroclor-1242 Ū 200 Aroclor-1248 12672-29-6 200 Aroclor-1254 11097-69-1 200 11096-82-5 Aroclor-1260

CLIENT ID
SS06DUP

Lab Name: <u>IEA-NJ</u> Client: <u>Allied Signal Inc.</u>

Matrix: (soil/water):SOIL Lab Sample ID: 71102004

Sample wt/vol: 30 (g/ml) g Lab File ID: <u>D2B44B0_031</u>

% Moisture: 17 decanted: N Date Received: 03/11/97

Extraction: (SepF/Cont/Sonc) SONC Date Extracted: 03/14/97

Concentrated Extract Volume: 10000 (uL) Date Analyzed: 03/19/97

Injection Volume: 5.0 (uL) Dilution Factor: 5.00

GPC Cleanup: (Y/N)N pH:___ Sulfur Cleanup: Y

CAS NO. COMPOUND CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG

12674-11-2 | Aroclor-1016 200 200 11104-28-2 Aroclor-1221 Aroclor-1232 Aroclor-1242 200 11141-16-5 1700 53469-21-9 U 12672-29-6 Aroclor-1248 200 200 U 11097-69-1 Aroclor-1254 11096-82-5 | Aroclor-1260 220

Contraction of the Contraction o

CLIEN	r ID
SS03	

Lab Name: <u>IEA-NJ</u>

Client: Allied Signal Inc.

Matrix: (soil/water):SOIL

Lab Sample ID: <u>71102005</u>

Sample wt/vol: 30 (g/ml) g

Lab File ID: <u>D2B44BO 034</u>

% Moisture: 31 decanted: N

Date Received: 03/11/97

Extraction: (SepF/Cont/Sonc) SONC

Date Extracted: 03/14/97

Concentrated Extract Volume: 10000 (uL)

Date Analyzed: 03/19/97

Injection Volume: 5.0 (uL)

Dilution Factor: 5.00

GPC-Cleanup: (Y/N)N

.

pH:____

Sulfur Cleanup: Y

CAS NO.

COMPOUND

CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/KG</u>

12674-11-2	Aroclor-1016	240	Ū
	Aroclor-1221	240	U
	Aroclor-1232	240	U
53469-21-9	Aroclor-1242	3000	
	Aroclor-1248	240	Ū
	Aroclor-1254	240	Ū
11096-82-5	Aroclor-1260	260	

	CL:	<u>LEN</u>	T	$\overline{\mathtt{ID}}$	
SS					
		-			

Lab Name: <u>IEA-NJ</u> Client: <u>Allied Signal Inc.</u>

Matrix: (soil/water):SOIL Lab Sample ID: 71102008

Sample wt/vol: 30 (g/ml) g Lab File ID: <u>D2B44BO_032</u>

% Moisture: 31 decanted: N Date Received: 03/11/97

Extraction: (SepF/Cont/Sonc) SONC Date Extracted: 03/14/97

Concentrated Extract Volume: 10000 (uL) Date Analyzed: 03/19/97

Injection Volume: 5.0 (uL) Dilution Factor: 5.00

GPC Cleanup: (Y/N)N pH: Sulfur Cleanup: Y

CAS NO. COMPOUND CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG

12674-11-2	Aroclor-1016	240	Ū
	Aroclor-1221	240	Ū
11141-16-5	Aroclor-1232	240	Ū
53469-21-9	Aroclor-1242	3200	
12672-29-6	Aroclor-1248	240	U
11097-69-1	Aroclor-1254	240	Ū
11096-82-5	Aroclor-1260	450	

CLIENT	ID	
SS05		

Tab	Name:	IEA-NJ	Client:	Allied Signal	Inc.
-----	-------	--------	---------	---------------	------

Matrix: (soil/water): SOIL Lab Sample ID: 71102009

Sample wt/vol: 30 (g/ml) g Lab File ID: D2B44B0_033

% Moisture: 25 decanted: N Date Received: 03/11/97

Extraction: (SepF/Cont/Sonc) SONC Date Extracted: 03/14/97

Concentrated Extract Volume: 10000 (uL) Date Analyzed: 03/19/97

Injection Volume: 5.0 (uL) Dilution Factor: 5.00

GPC Cleanup: (Y/N)N pH:____ Sulfur Cleanup: Y

CAS NO. COMPOUND CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG

		220	TÜ
12674-11-2	Aroclor-1016		
11104-28-2	Aroclor-1221	220	1 👯 ——
11141-16-5	Aroclor-1232	220	<u> </u>
E3460 31-0	Aroclor-1242	1800	
33403-41-3	Aroclor-1248	220	Ū
12672-29-6	AIOCIOI-1246	220	U
11097-69-1	Aroclor-1254	<u> </u>	
11096-82-5	Aroclor-1260	320	

The state

Industrial & Environmental Analysts, Inc (IEA-NJ) Petroleum Hydrocarbon Analysis Method 8015M

Comments:

IEA Project No: <u>20970-71102</u>	Date Sampled: <u>03/11/97</u>
IEA Sample No:	Date Received: 03/11/97
Client Sample No:SS01	Date Extracted: 03/25/97
· •	
Extraction (SW846 - 3550) / GC-FID anal kerosene, varsol).	ysis (for #2 fuel oil,
Date Analyzed: 04/01/97	
Results:	
The sample contains petroleum hydrocarb distillation range of #2 fuel oil. The 160 mg/kg.	oons in the concentration is
Comments: The sample was analyzed with	a 10 fold dilution.
	.======================================
Purge and Trap (SW846 - 5030) / GC-FID only).	analysis (for gasoline
Date Analyzed: 03/25/97	
Results:	
The sample does not contain petroleum he distillation range of Gasoline. The quamg/kg.	nydrocarbons in the antitation limit is 2.9

Industrial & Environmental Analysts, Inc (IEA-NJ) Petroleum Hydrocarbon Analysis

Method 8015M

IEA Project No: <u>20970-71102</u>	Date Sampled: <u>03/11/97</u>
IEA Sample No:	Date Received: <u>03/11/97</u>
Client Sample No:SS02	Date Extracted: 03/25/97
Extraction (SW846 - 3550) / GC-FID anal kerosene, varsol).	ysis (for #2 fuel oil,
Date Analyzed: 04/01/97	
Results:	•
The sample contains petroleum hydrocarb distillation range of #2 fuel oil. The mg/kg.	ons in the concentration is 2500
Comments: The sample was analyzed with a	50 fold dilution.
Purge and Trap (SW846 - 5030) / GC-FID only).	analysis (for gasoline
Date Analyzed: 03/25/97	
Results:	
The sample does not contain petroleum h distillation range of Gasoline. The quamg/kg.	nydrocarbons in the untitation limit is 2.9
Comments:	

Industrial & Environmental Analysts, Inc (IEA-NJ) Petroleum Hydrocarbon Analysis Method 8015M

IEA Project No: <u>20970-71102</u>	Date Sampled: 03/11/97
IEA Sample No:	Date Received: 03/11/97
Client Sample No:SS06DUP	Date Extracted: 03/25/97
	. •
Extraction (SW846 - 3550) / GC-FID analkerosene, varsol).	ysis (for #2 fuel oil,
Date Analyzed: 04/01/97	
Results:	
The sample contains petroleum hydrocarb distillation range of #2 fuel oil. The mg/kg.	ons in the concentration is 2800
Comments: The sample was analyzed with a	50 fold dilution.
Purge and Trap (SW846 - 5030) / GC-FID only).	analysis (for gasoline
Date Analyzed: 03/25/97	·
Results:	
The sample does not contain petroleum h distillation range of Gasoline. The quamg/kg.	ydrocarbons in the intitation limit is 3.0
Comments:	

Industrial & Environmental Analysts, Inc (IEA-NJ) Petroleum Hydrocarbon Analysis Method 8015M

Extraction (SW846 - 3550) / GC-FID analysis (for #2 fuel oil, kerosene, varsol).

Date Analyzed: 04/01/97

Results:

The sample contains petroleum hydrocarbons in the distillation range of #2 fuel oil. The concentration is 3900 mg/kg.

Comments: The sample was analyzed with a 50 fold dilution.

Purge and Trap (SW846 - 5030) / GC-FID analysis (for gasoline only).

Date Analyzed: 03/25/97

Results:

The sample does not contain petroleum hydrocarbons in the distillation range of Gasoline. The quantitation limit is 3.6 mg/kg.

Comments:

The Section

Industrial & Environmental Analysts, Inc (IEA-NJ) Petroleum Hydrocarbon Analysis Method 8015M

IEA Project No: 20970-71102	Date Sampled: <u>03/11/97</u>
IEA Sample No:	Date Received: 03/11/97
Client Sample No:SS04	Date Extracted: 03/25/97
Extraction (SW846 - 3550) / GC-FID anal kerosene, varsol).	ysis (for #2 fuel oil,
Date Analyzed: 04/01/97	
Results:	
The sample contains petroleum hydrocark distillation range of #2 fuel oil. The mg/kg.	oons in the concentration is 5800
Comments: The sample was analyzed with a	
	=======================================
Purge and Trap (SW846 - 5030) / GC-FID only).	analysis (for gasoline
Date Analyzed: 03/25/97	
Results:	
The sample does not contain petroleum distillation range of Gasoline. The quant mg/kg.	hydrocarbons in the antitation limit is 3.6
Comments:	
COMMITTEE .	

· ··· (*2*

Industrial & Environmental Analysts, Inc (IEA-NJ) Petroleum Hydrocarbon Analysis Method 8015M

IEA Project No: 20970-71102	Date Sampled: <u>03/11/97</u>
IEA Sample No:	Date Received: 03/11/97
Client Sample No: Date	Extracted: <u>03/25/97</u>
Extraction (SW846 - 3550) / GC-FID anal kerosene, varsol).	ysis (for #2 fuel oil,
Date Analyzed: 04/01/97	
Results:	
The sample contains petroleum hydrocarb distillation range of #2 fuel oil. The mg/kg.	
Comments: The sample was analyzed with a	100 fold dilution.
Purge and Trap (SW846 - 5030) / GC-FID only).	analysis (for gasoline
Date Analyzed: 03/25/97	
Results:	
The sample contains petroleum hydrocarborange of Gasoline. The concentration is	ons in the distillation 4.4 mg/kg.
Comments:	

CLIENT : Allied Signal Inc.

MATRIX: LEACHATE

JOB No.: <u>71102</u>

TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP) PART 261

Units: MG/L

Lab I.D.	LB-395	LB-688	71102001	71102003	71102005	Regulatory Limits
Client I.D	LEACH BLANK	LEACH BLANK	SS01	ss02	SS03	
*** VOLATILES ***						
Benzene	<0.05		<0.05	<0.05	<0.05	0.5
Arsenic Chromium		<0.200 <0.100	<0.200 <0.100	<0.200 <0.100	<0.200 <0.100	5.0 5.0
Lead		<0.100	0.207	0.103	0.107	5.0

CLIENT : Allied Signal Inc.

MATRIX: LEACHATE

JOB No.: 71102

TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP) PART 261

Units: MG/L

Lab I.D.	71102006MS	71102007MSD	71102008	71102009	 Regulatory Limits
Client I.D	SS03 MSMS	SSO3 MSDMSD	ss04	ss05	
Benzene	80%	82%	<0.05	<0.05	0.5
Arsenic	103%	<0.200	<0.200	<0.200 <0.100	5.
Lead	93.7%	<0.100 <0.112	0.193	0.594	 5.0

(EPA Method EPA-600/M4-82-20)*

Client: IEA-NJ Project: 71103

Date: 03/27/97 IEA ID: 0071-122.01 Analyst: M BUSHEY

Sample Number: 1 Client Location:

Gross Appearance: Mixed Fibrous and Non-Fibrous

Color, Texture, etc.:

Non-Asbestos Fibers:

65 Percent Total Non-Asbestos Fiber

Fiber Type

Diagnostic Optical Property

Mineral Wool

Isotropic

Non-Fiber Matter:

20 Percent Non-Fiber Matter

Mineral Grains Opaques/Paint Chips

Asbestos Fibers:

15 Percent Total Asbestos Fiber

Asbestos Lab Data

Chrysotile

Amosite

Percent: 10

5

Morphology: Wavy

Straight

Color: None

None

Pleochroism: Non-pleochroic

Non-pleochroic

Extinction Angle: P

Birefringence: 0.009

0.033 **Positive**

Sign of Elongation: Positive

1.703

Index (Parallell): 1.553

1.67

Index (Perpendicular): 1.544

Immersion Media: 1.550HD 1.680

1.550HD 1.680

Other Features:

Suchen

Date:

03/27/97

IEA, Inc. is accredited by the National Institute for Standards and Technology (formerly NBS), NVLAP (Lab 101005-0)

for asbestos analysis of bulk samples by Polarized Light Microscopy with Optical Dispersion Staining (PLM/DS). * IEA also follows the EPA recomendation and uses Method EPA/600/R-93/116.

Accreditation in no way constitutes or implies product certification, approval, or endorsement by NIST. This report relates only to the specific sample tested herein.

(EPA Method EPA-600/M4-82-20)*

Client: IEA-NJ Project: 71103

Date: 03/27/97 IEA ID: 0071-122.02 Analyst: M BUSHEY

Sample Number: 2 Client Location:

Gross Appearance: Mixed Fibrous and Non-Fibrous

Color, Texture, etc.:

Non-Asbestos Fibers:

2 Percent Total Non-Asbestos Fiber

Fiber Type

Diagnostic Optical Property

Mineral Wool

Isotropic

Non-Fiber Matter:

73 Percent Non-Fiber Matter

Mineral Grains

Asbestos Fibers:

25 Percent Total Asbestos Fiber

Asbestos Lab Data Amosite Chrysotile Percent: 15 10 Morphology: Straight Wavy Color: None None Pleochroism: Non-pleochroic Non-pleochroic Extinction Angle: P P Birefringence: 0.033 0.009 Sign of Elongation: Positive Positive Index (Parallell): 1.703 1.553 Index (Perpendicular): 1.67 1.544

Immersion Media: 1.550HD 1.680

1.550HD 1.680

Other Features:

03/27/97

Tank buelong

IEA, Inc. is accredited by the National Institute for Standards and Technology (formerly NBS), NVLAP (Lab 101005-0) for asbestos analysis of bulk samples by Polarized Light Microscopy with Optical Dispersion Staining (PLM/DS). * IEA also follows the EPA recomendation and uses Method EPA/600/R-93/116.

Accreditation in no way constitutes or implies product certification, approval, or endorsement by NIST. This report relates only to the specific sample tested herein.

(EPA Method EPA-600/M4-82-20)*

Client: IEA-NJ Project: 71103 Date: 03/27/97 IEA ID: 0071-122.03 Analyst: M BUSHEY

Sample Number: 3
Client Location:

Gross Appearance: Mixed Fibrous and Non-Fibrous

Color, Texture, etc.:

Non-Asbestos Fibers: None Detected

Non-Fiber Matter:

40 Percent Non-Fiber Matter

Mineral Grains
Opaques/Paint Chips

Asbestos Fibers:

60 Percent Total Asbestos Fiber

Ment Burlay

Asbestos Lab Data

Chrysotile

Percent: 60 Morphology: Wavy

Color: None

Pleochroism: Non-pleochroic

Extinction Angle: P

Birefringence: 0.009
Sign of Elongation: Positive
Index (Parallell): 1.553

Index (Perpendicular): 1.544

Immersion Media: 1.550HD 1.680

Other Features:

Date: 03/27/97

Signed:

IEA, Inc. is accredited by the National Institute for Standards and Technology (formerly NBS), NVLAP (Lab 101005-0) for asbestos analysis of bulk samples by Polarized Light Microscopy with Optical Dispersion Staining (PLM/DS).

* IEA also follows the EPA recomendation and uses Method EPA/600/R-93/116.

Accreditation in no way constitutes or implies product certification, approval, or endorsement by NIST. This report relates only to the specific sample tested herein.

(EPA Method EPA-600/M4-82-20)*

Client: IEA-NJ Project: 71103

Date: 03/27/97 IEA ID: 0071-122.04 Analyst: M BUSHEY

Sucha

Sample Number: 4
Client Location:

Gross Appearance: Fibrous

Color, Texture, etc.:

Non-Asbestos Fibers:

95 Percent Total Non-Asbestos Fiber

Fiber Type

Diagnostic Optical Property

Mineral Wool

Isotropic

Non-Fiber Matter:

5 Percent Non-Fiber Matter

Mineral Grains

Asbestos Fibers:

None Detected

Date: 03/27/97

Signed

IEA, Inc. is accredited by the National Institute for Standards and Technology (formerly NBS), NVLAP (Lab 101005-0) for asbestos analysis of bulk samples by Polarized Light Microscopy with Optical Dispersion Staining (PLM/DS).

* IEA also follows the EPA recomendation and uses Method EPA/600/R-93/116.

Accreditation in no way constitutes or implies product certification, approval, or endorsement by NIST. This report relates only to the specific sample tested herein.